



Figure 2




Predicted genetic composition of BP/ES HPRT null cell lines:

(Lines 4, 5)	(Lines 8, 10, 12)
31% C57BL/6	44% C57BL/6
19% 129/Ola	6% 129/Ola
50%	50%
129/SVPASCOCRLBR	129/SVPASCOCRLBR

Figure 2 cont.







5/14



Figure 6





DNA + 1 MONTH = MICE

						•	JANUARY	Ä	K	_		· ·										124	FEBRUARY	RY							
J	61 81 11 91	18	19	20	[2	22 23 24 25 26 27 28 29	3 24	1 25	26	27	829	30	31	12	34	56	5 6 7 8	를	등	112	2	=	91 9	17	18	18 19 20 21	20	21	22	23 24	7
†	╁							Selection of the select			╀	I-Pas9 / F-62			E				-		<u> </u>	├		B-3L	P1	ы	ы	P4	PS	P6	A
		⊢		5	22	87.8			- siri	Ů,		F-63											13-31,	P1	72	ЕА	P4	PS	P6	•	
1 01 63	-	Į-		5		3			4.00	ن را	\vdash	L-Pas9 / F-64			\vdash				 		 			B-4L/11D	PI	72	P3	P2 P3 P4 P5		- 26	A
	_				Į.		2.3	- C () S ()	******		\dashv	F-65			\neg	\exists	_	\exists	-		\dashv	\dashv		B-21. (CS)	T	T	十	\dashv	十	十	Т
1 91:5 I a.7 10 m	:	5	7	. :		7				e e			1-Pas9 / F-67				_							B-11. (CS)	Ξ	P2 P3 P4	2		<u></u>	2	_
						Y-							F-68	\exists	\dashv	_	\exists	٥		\Box	_	-		B-5L (CS)	T	一	T	7	\dashv	7	Т
44bp-2	[-	Š	25	52	S	Z)	\vdash	<u> </u>	2000	Ů.	_		f-Pas9 / F-69						_		-	_		B-40, (CS) P1 P2	ā	2	E E	2	Σ.	2	<u> </u>
hM4c.7	-	S	ū	S	į,	17.	_		10000	i e			LPas9 / P-72		_									8-4L		2	2	P2 P3 P4 P5		22	•
		-				7	_	_	MA A				F-73	\exists	=	日	\exists		_		ᅥ	\dashv		13-51.		ヿ	┪	-	\dashv	ᅥ	\neg

= Transfection

Post-Transfection

= # of days under selection

Cloning initiated

= Injection (Pas = passage #; F = recipient #)

B = Day of birth

P = # of days post-natal CS = Cesarean section

Figure 9

ES LINE	CONSTRUCTS	CLONES/ CONSTRUCT	CHIMERAS BRED/ CONSTRUCT	CHIMERAS TRANSMITTING	CONSTRUCTS TO GERM LINE
BK4	LAST 7	3	11	8% (1135 progeny) multiple litters	2/7 (29%)
BPES/5	FIRST 7	1	2	71% (88 progeny) first litters 44% germ line only	5/7 (71%)
		33% effort	18 % effort	<7% effort	




Figure 10




Figure 11




Figure 12




Figure 13

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐. FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: ____

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.